

SWEEPERS

SMARTSWEEP®

We can also supply spare parts.

SmartSweep®



REF 140TA2232

- Mechanical sweeper: can be used on diesel, LPG and electric lift trucks
- Can be mounted onto all lift trucks
- Designed for in- and outdoor use (dry conditions)
- Collects dirt and rocks
- Total weight capacity 400 kg



Technical information:

- Cleaning width: 1524 mm
- Main brush width: 965 mm
- Main brush diameter: 305 mm
- Side brush diameter: 458 mm
- Waste collector capacity: 400 kg
- Waste collector content: 255 litres
- Pneumatic tyres: 136 x 464 mm
- Fits max fork dimensions (WxTxL): 230 mm x 80 mm x length unrestricted
- Maximum fork spread measured over the forks: 510 mm
- Outside sweeper dimensions (WxLxH): 1524 x 1749 x 936 mm
- Weight: 380 kg
- Centre of gravity: unloaded: 1010 mm
- Centre of gravity: loaded: 1220 mm



Sweep your way through dust and dirt!

For all info, advantages and demo video go to www.smartsweep.com



Fits max fork dimensions (WxTxL): 230 x 80 mm x length unrestricted (open end)
Maximum fork spread measured over the forks: 510 mm (wide design)

HYDRO SWEEPER

Your ideal partner for DUST-FREE CLEANING

- Waterjet system
- Brushes hydraulically driven
- Folding side brush
- Can be fitted quickly and easily onto most lift trucks

We can also supply spare parts.



- Cylindrical brush fully enclosed, dust-free sweeping guaranteed
- Integrated main and side brush drive
- Main cylindrical brush 1550 mm sweeping width, pendulum suspension
- V-shaped cylindrical brush (better filling of the waste collector)
- Hydraulic emptying of the waste collector
- All functions can be operated by 1 double-acting valve
- Waterjet system (12V or 24V)*

*Also available without waterjet system.

Hydro Sweeper



Side brush
Folding
Material: polypropylene
Diameter: 600 mm



3-dimensional floating suspension
Max fork section: 165 x 55 mm
Min distance between the forks: 380 mm



Water tank 200 l
5 waterjets

Width: 1550 mm

Max fork section: 165 x 55 mm

Min distance between the forks: 380 mm

Diameter side brush: 600 mm

Weight: 390 kg

Operating pressure: max 180 bar

Oil flow: min 15 litres/minute

REF	Description
138TA4373	with waterjet system 12V
138TA4374	with waterjet system 24V
138TA4545	without waterjet system

Sweep your way through dust and dirt!

Lazy Sweeper®

We can also supply spare parts.



- **Highly durable** – no moving parts to break down.
- **Low cost of ownership** – low bristle wear for long life - sweep up to 450 miles before changing bristles!
- **Simple to use** – connects to host vehicle in seconds.
- **Covers large areas efficiently** – high output with low running costs.
- **Able to push bulk** – mulch, timber scraps, plastic, granules, aggregates, etc. (Type M and L)
- Easy-change bristle replacement system.

Available in different types

Lazy Sweeper® S

The low-cost, lightweight yet high-performance broom. Ideally suitable for light-duty applications.

Lazy Sweeper® M

Designed for medium to heavy sweeping. The Lazy Sweeper® M has eight bristle rows, suitable for industrial sweeping indoors and outdoors, with integrated fork mount.

Lazy Sweeper® L

Heavy-duty sweeper with eleven rows of bristles for maximum sweeping power, suitable for the toughest sweeping requirements.

Specifications

Model	REF	Width (mm)	Brush rows	Weight (kg)	Bristle height (mm)
Lazy Sweeper® S	141TA3256	1220	5	20	200
Lazy Sweeper® M	140TA9035	1520	8	67	280
Lazy Sweeper® L	140TA8360	1830	11	109	280

MAGNETIC SWEEPER

Any industrial truck without a magnetic sweeper is only doing half the job!

Eliminate nails • Eliminate scrap steel • Eliminate flats

Highest performance available from a permanent magnetic sweeper

Quality magnetic road sweepers that are built to last!

- Designed for all purposes and heavy-duty use.
- Eliminate iron objects and steel trash from service/ maintenance areas, lots, ramps and loading docks.
- Designed for easy mounting on push tugs, forklifts yard trucks, etc.,
- Used where steel waste causes costly damage to tyres, equipment and/or employee injury.
- Constructed from quality permanent magnets encased in aluminium.

Product features:

- Exclusive insulation process used to prevent internal damage on impact.
- Packed with highest strength magnets.
- Magnets mounted to steel frame.
- 1/2" eyebolts mounted to inner steel.
- 1/2" aluminium end caps secured with tension pins.

Length	Ground clearance	REF
915 mm	25-75 mm	107TA6256
915 mm	25-125 mm	107TA6257

Magnetic Sweeper




This parts catalogue gives you a useful overview of our solutions and parts for scrubber and sweepers. You will find detailed information on the available parts for 60 machines, suitable for over 10 brands including Tennant, Advance, Hako, Nilfisk ...

Visit our webpage or order your free copy:

www.tvh.com/catalogue

REF 18538625 ENGLISH



The 'Scrubbers & Sweepers' brochure gives you an overview of our range of parts and accessories for scrubbers & sweepers.

Visit our webpage or order your free copy:

www.tvh.com/catalogue

REF 17153677 ENGLISH

© 04-2013. TVH®, SmartSweep® and Lazy Sweeper® are registered trademarks. Photographs and illustrations are included for reference purposes only. All sales are subject to the general terms & conditions of sales on www.tvh.com/avv



TVH PARTS NV • PARTS & ACCESSORIES DIVISION

Brabantstraat 15 • BE-8790 Waregem

T +32 56 43 42 11 • F +32 56 43 44 88 • parts@tvh.com • www.tvh.com